

Facility Name _____ Contact Name: _____

Email Address _____ Phone _____ Date _____

Bill to Address _____ State _____ Zip Code _____

Ship to Address _____ State _____ Zip Code _____
(if different)

Patient Name _____ PO# _____

Circle your choices *See ACT manual for design ideas and for pairing with footwear

1. PICK THE SHELL *required

Graphite: semi-flexible • semi-rigid • rigid

Heel stabilizer: yes • no

_____ or _____

IMP™ nylon: flexible • semi-rigid • rigid

Arch fill: soft • medium • firm • no fill

_____ or _____

Specialty: narrow nylon • wide nylon
blue deep heel nylon • co-poly UCBL type

***patient weight** _____

PLANTAR VIEW



(Circle choices Left, Right or Bilateral)

SPECIFY ADDITIONS

Met pad L R B

Met bar L R B

3mm forefoot cushion L R B

2mm forefoot cushion L R B

Heel spur cutout L R B

Cut out under 1st MPJ L R B

Graphite Morton's extension
(requires filled arch construction) L R B

Notes _____

2. PICK THE TOP COVER *required

- 3mm perforated EVA • 2mm perforated EVA • Plastizote/Poron®
- 3mm Celmax™ • 2mm Celmax™ • Ultrasuede® • vinyl • no cover
- full length • sulcus length • ¾ length

***shoe size** _____ **men's** **women's** **child's**
narrow **medium** **wide**

3. SPECIFY CORRECTION IF DESIRED (Left, Right)

rear foot **deep heel cup** L R

medial: _____° Left _____° Right

lateral: _____° Left _____° Right

high medial arch flange L R

forefoot **high lateral arch flange** L R

medial: _____° Left _____° Right

lateral: _____° Left _____° Right

heel lift L _____" R _____"

ORDER PROCESSING (Lab use only)

Date Received _____ Initials _____

Impression type: Scan _____

A.C.T. Cores **MD** _____ **LG** _____

Foam Box _____ Slipper Cast _____

Inspected by _____

Packed by _____

Shipped date _____ Via _____

SPECIAL INSTRUCTIONS

_____ Rush (one day lab service) \$20 _____ Modification

_____ Adjustment (covered within 60 days) _____ Refurbish

SHIPPING

_____ Drop ship to patient

_____ Priority Mail (Standard)

_____ Special shipping

_____ Overnight

_____ Two day